



UNITED STATES DEPARTMENT OF COMMERCE
Patent and Trademark Office
ASSISTANT SECRETARY OF COMMERCE AND
COMMISSIONER OF PATENTS AND TRADEMARKS
P.O. Box 1450
Alexandria, VA 22313-1450

November 3, 2008

Troy J. Cole
Bank One Center/Tower
Suite 3700
111 Monument Circle
Indianapolis IN 46204-5137

Patent No. : 7,407,811 B2
Inventor(s) : David W. Burke, et al.
Issued : August 5, 2008
For **SYSTEM AND METHOD FOR
ANALYTE MEASUREMENT USING AC
EXCITATION**
Doc. No. 7404-553

To Whom It May Concern:

The Certificate of Correction issued on November 4, 2008, issued in error, in that error(s) was made in identifying the patent number and/or keying text/corrections, i.e.:

Applicant submitted corrections on 1050 in claim and line number format. The cofc was issued in that format. The applicant notated that Column 39, Claim 114 is to be rewritten, but the corrections should be properly labeled under --Column 39, Claim 114, lines 11-25--. The applicant notated that Column 40, Claim 125 is to be rewritten, but the corrections should be properly labeled under --Column 40, Claim 125, lines 3-17--. Attorney submitted the 1050 form in improper format. A new certificate of correction will be issued listing the proper format Column and line number.

Therefore, a certificate of correction will be issued to correct (supersede) the Certificate of Correction containing error(s), made during preparation of the Certificate of Correction, as noted above.

No further response is required, from applicants (attorney). However, errors discovered by attorney, other than as noted and described above, should be noted on a *copy* of the Certificate of Correction that was issued in error, accompanied by a signed transmittal letter and submitted directed to this Branch.

Antonio Johnson
(703) 308-9390 ext. 111
For Mary F. Diggs, Supervisor

Decisions & Certificates of Correction Branch
(703) 305-8309 / 703-308-9390 ext. 125